HIGHLAND REGIONAL COUNCIL						FIELD MONUMENTS	
ARCHAE	OLOGICAI	. SITES AND M	IONUMENT	S RECOR	D	1 SITE CODE H N D 3	5 N W 0 0 3 A 3 QUAL 6 5 5 CE
4 DISTRICT			5 PARISH			6 SITE NAME	
CAITHNESS 7 AREA STATUS 8 SITE STATUS **		ITE STATUS	WICK 9 REGIONAL S		ATUS	K I L M S T E R B R O C H	
SCHEDULED SCHEDULED			13 DIMENSIONS			весси	
os ND35NW		CTE OF			EXTERNAL DIAMETER		15 DATING METHOD
NM R						14 PERIOD/DATE	TYP
6 RELATIONSHIP OF ELEMENTS			17 CONDITION			18 SHAPE	
			D.	ESTROYED		19 THREAT AND DATE	
20 LAND USE					21 GEOLOGY		
ENCLOSED LAND			23VEGETATION				
24 HYDROLOGY/DRAINAGE			25 RELIEF			26 ASPECT	27 ALTITUDE
24 HIDHOLOGIA		N (EXCAVATOR: DATE: EX	L	EVEL GROU	ND	360°	25=30m OD
	29BIBLIOGRAPHY (AUTHOR: DATE: TITLE: JOURNAL OR PUBLISHER: VOLUME: DETAIL)  1. ORDNANCE SURVEY: 1907:6" MAP  2. ORDNANCE SURVEY: 1974: 1/10,000 MAP  3. CALDER, CST: 1950 : PROC.SOC.ANT.SCOT.: VOL. 82: pp124-5  4. (DONATIONS): 1908-9: PROC.SOC.ANT.SCOT.: VOL. 43: p18  5. RCAHMS: 1911: CAITHNESS INVENTORY: HMSO: p146, No. 507  6. ORDNANCE SURVEY: 1906: 25" MAP  7. HBM (SDD): 1985: LIST OF SCHEDULED MONUMENTS  30GROUND PLAN NO.  31 GROUND PHOTO NO.  32SLIDES NO.  33HR. AP. NO.						
	36 ARCHIVE AND LOCATION					10.00	
	37 GEOPHYSIC	AL SURVEY			38 SAMPLES		
- 0	39PALYNOLOGY			40NUMERICAL DATES: RANGE: LAB NO.		F 10.1	
,	41 SMALL FINDS  BONE NEEDLE(HD 431)+BONE BOVER(H 43 OTHER  ASS DEC S.			R(HD 432)			42 MUSEUM/LOCATION RMS(QUEEN ST)
44 NAME & AD	DRESS OF OWN				<del>.</del>		45 ATTITUDE OF OWNER
46 NAME & ADD	DRESS OF TENAL	NT					47 ATTITUDE OF TENANT
48 ACCESS &	RESTRICTIONS						
						MWC:9.4.1986	51 CHECK: DATE 178: 13. 5. 1986
sz text "See	continua	tion cards for	text, il	lustratio	on (5), map (6) ar	nd folder for ex	cavation report

(3)."

(ND 3234 5655) Brough

Broch

(site of)

(1)(2)

In 1940 this broch was destroyed to allow the construction of an aerodrome. Prior to this it had appeared as a grass-covered knoll about 150 ft in diameter and 9 ft high. It had been partially excavated in 1904 by Sir Francis Tress Barry, when only the W half of the tower was exposed. A second excavation was carried out by Calder in 1940, immediately preceding destruction.

The broch had consisted of a round tower, encircled by a strong defensive rampart, with a wide, shallow ditch outside. Originally circular in shape, the tower had been built with walls some 15 ft thick and an average external diameter of 62 ft 6 ins. The entrance had been on the W with a guard chamber built into the thickness of the wall off the S side of the passage. From the inner wall face thirteen compartments were arranged radially around the inside of the tower, the divisions consisting of thin stone slabs set on edge. Structurally it would appear that these compartments were later than the broch and possibly early improvements.

Sherds of some twenty vessels were discovered, some of them resembling pottery from the lower levels at Traprain Law. In 1904 a bone needle was also found on this site. Other relics found during the 1940 excavation include a saddle quern, several grain rubbers, dishes, knocking stones, pivot stones, anvils, tether stones, pot lids, pounders and smoothing stones, a pestle and a whorl. Also parts of circular querns of post-Roman date. Fragments of human remains found indicated an individual of rather small stature.

Finds from the 1904 excavation in the N M A S include a bone needle (HD 431), a bone borer (HD 432), a pot (GA 908) and possibly two whorls, one of sandstone and one of steatite, donated to the N M A S in 1908.

(3)(4)(5)

There are no remains of the broch to be seen. Published survey (1:2500) revised.

(OSFI:RDL:22.4.1963)

There is no trace of this broch.

(OSFI:JM:14.7.1982)

"ND 3234 56 55 Brough."

(6)

RECOMMENDED AND DE-SCHEDULING, 6/5/1988 (HRA: RAG: 6.5 1988).

507. Broch, Kilmster.—Situated on arable land from which it is railed off, 800 m. SE of Skitten croft at Kilmster, is a broch. The green hillock which conceals its ruins was, in part, excavated by the late Sir Francis Tress Barry in 1904, and about one half of the inner face of the wall on either side of the entrance has been exposed. The broch is much ruined, and the shaley stones of which it is built are rapidly disintegrating. The entrance has been from the W. by N. through a passage some 4.7m in length, and other width at the outside. At 103m inwards is a rebate for a door formed by the widening of the passage to 103m and a sill projects for a height of other across the floor. At 0.55m in rear of the door checks on the right side is the entrance





Fig. 35.—Broch, Kilmster (No. 507); Ground-plan.

to a guard chamber which has measured some 4-7m in length, and 148 at greatest width, of which the inner or left side of the wall adjacent to the passage is now gone. The diameter of the interior of the broch has been some 10.2m. The greatest height of wall visible in the interior is 1.5, and the thickness of the wall at this level is 4.53 m. The greatest height of wall visible in the passage is +3m. The passage roof and also that of the guard chamber are awanting. Within the interior, to the left of the entrance, is an enclosure formed of upright slabs, the one side of which is in line with the left wall of the passage. It is 193 in length, 1-36 in breadth against the wall of the broch, and 10m at the opposite end. A similar enclosure seems to have existed on the opposite side of the entrance, and a number of displaced slabs round to the left in the interior imply the existence of others. Immediately opposite the entrance in the interior, and some 30 inwards, a portion of building is exposed: the side in line with the right wall of the main passage visible for D'Amof its length, and the return facing the entrance uncovered for a shorter distance. At 372 to the left of the entrance on the face of the wall in the interior, towar above present ground level, is a recess some OB square at the outside, extending inwards for OB and diminishing in size. There is no sign of a scarcement. On excavation it was found that a clay rampart, at highest 300 in height, encircled the broch revetted on the inner side with a stone wall some OAL distant from the tower. This wall remains visible towards the N. and appears to curve inwards from the NW. In front of the rampart was a ditch some 15 44 wide. A plan made by Mr John Nicolson, Nybster, at the time of the excavation is here reproduced (fig. 35).

O.S.M., CAITH., xix.

Visited, 3rd June 1910.



(6) SHEET CAITHNESS XIX.8